
OTIC



UNITED STATES
AIR FORCE



# OCCUPATIONAL SURVEY REPORT

19941207 020

ORTHOTIC

AFSC 4U0X1

AFPT 90-919-002

OCTOBER 1994

OCCUPATIONAL ANALYSIS PROGRAM
AIR FORCE OCCUPATIONAL MEASUREMENT SQUADRON
AIR EDUCATION and TRAINING COMMAND
1550 5th STREET EAST
RANDOLPH AFB, TEXAS 78150-4449

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

# DISTRIBUTION FOR AFSC 4UOX1 OSR

	OSR	ANL EXT	TNG <u>EXT</u>	JOB <u>INV</u>
AFOMS/OMDQ	1			
AFOMS/OMYXL	10		5	10
AL/HRMM	2			
ARMY OCCUPATIONAL SURVEY BRANCH	1			
CCAF/AYX	1			
DEFENSE TECHNICAL INFORMATION CENTER	2			
HQ AFMPC/DPMRAD2	1			
HQ AFMPC/DPMYCO3	2			
59 MEDW/TSS (ATTN: CMSgt Mucker), 2200 Berquist Drive, Suite 1, Lackland AFB TX 78236-5300	8		8	
NODAC	1			
STANDARDS BRANCH	1			
882 TRSS/TSOXD (ATTN: Mrs. Carol Drake), 939 Missile Road, Suite 2, Sheppard AFB TX 76311-2260	3	1	3	3
882 TG/CCT, 939 Missile Road, Suite 2, Sheppard AFB TX 76311-2245	1		1	

# TABLE OF CONTENTS

**PAGE** 

	NUMBER
PREFACE	v
SUMMARY OF RESULTS	vii
INTRODUCTION	1
Background	1
SURVEY METHODOLOGY	2
Inventory Development Survey Administration Survey Sample Task Factor Administration	3
SPECIALTY JOBS	5
Career Ladder Structure Overview of Specialty Jobs Group Descriptions Comparison of Current Group Descriptions to Previous S ANALYSIS OF DAFSC GROUPS	
Skill-Level Descriptions	
Summary	18
ANALYSIS OF AFMAN 36-2108 SPECIALTY DESCRIP	TIONS 18
TRAINING ANALYSIS	23
First-Enlistment Personnel TE and TD Data Specialty Training Standard (STS) Plan of Instruction (POI)	
JOB SATISFACTION ANALYSIS	31
IMPLICATIONS	Accesion For
	NTIS CRA&I D DTIC TAB  Unannounced  Justification  By Distribution /
ii	Dist Avail and for Special

THIS PAGE INTENTIONALLY LEFT BLANK

# TABLE OF CONTENTS

(Tables, Figures, Appendices)

		PAGE NUMBER
TABLE 1	MAJCOM DISTRIBUTION OF SAMPLE	3
TABLE 2	PAYGRADE DISTRIBUTION OF SAMPLE	4
TABLE 3	AVERAGE PERCENT TIME SPENT ON DUTIES BY CAREER LADDER JOBS	8
TABLE 4	SELECTED BACKGROUND DATA FOR DAFSC 4U0X1 CAREER LADDER JOBS	9
TABLE 5	SPECIALTY JOB COMPARISONS BETWEEN CURRENT AND 1987 919X0 SURVEY	11
TABLE 6	DISTRIBUTION OF SKILL-LEVEL MEMBERS ACROSS CAREER LADDER JOBS (PERCENT MEMBERS RESPONDING)	13
TABLE 7	TIME SPENT ON DUTIES BY MEMBERS OF SKILL-LEVEL GROUPS (RELATIVE PERCENT OF JOB TIME)	14
TABLE 8	REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U031 PERSONNI	EL15
TABLE 9	REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U051 PERSONNI	EL16
TABLE 10	TASKS BEST DIFFERENTIATING DAFSC 4U031 AND DAFSC 4U051	17
TABLE 11	REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U071 PERSONNI	E <b>L</b> 19
TABLE 12	TASKS WHICH BEST DIFFERENTIATE BETWEEN DAFSC 4U051 AND DAFSC 4U071 PERSONNEL (PERCENT MEMBERS PERFORMING)	20
TABLE 13	REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U000 PERSONN	EL21
TABLE 14	TASKS WHICH BEST DIFFERENTIATE BETWEEN DAFSC 4U071 AND DAFSC 4U000 PERSONNEL (PERCENT MEMBERS PERFORMING)	22
TABLE 15	REPRESENTATIVE TASKS PERFORMED BY FIRST-ENLISTMENT PERSONNEL	24
TABLE 16	EXAMPLES OF 4U0X1 TASKS WITH HIGHEST TE RATINGS	26-27
TABLE 17	EXAMPLES OF 4U0X1 TASKS WITH HIGHEST TD RATINGS	28

# TABLE OF CONTENTS (CONTINUED) (Tables, Figures, Appendices)

# **PAGE NUMBER**

	EXAMPLES OF TECHNICAL TASKS PERFORMED BY 30 PERCENT OR MORE DAFSC 4U0X1 GROUP MEMBERS AND NOT REFERENCED TO THE POI29-30	0
	COMPARISON OF JOB SATISFACTION INDICATORS FOR TAFMS GROUPS IN CURRENT SURVEY TO A COMPARATIVE SAMPLE (PERCENT MEMBERS RESPONDING)	
	COMPARISON OF JOB SATISFACTION INDICATORS FOR TOTAL TAFMS GROUPS IN CURRENT SURVEY TO 1987 SURVEY (PERCENT MEMBERS RESPONDING)	
TABLE 21	JOB SATISFACTION INDICATORS FOR DAFSC AFSC 4U0X1 JOBS (PERCENT MEMBERS RESPONDING)	
FIGURE 1	AFSC 4U0X1 JOBS 6	
FIGURE 2	FIRST-ENLISTMENT JOBS AFSC 122X034	
APPENDIX	A	

#### **PREFACE**

This report presents the results of an Air Force Occupational Survey of the AFSC 4U0X1, Orthotic, career ladder. Authority for conducting occupational surveys is contained in AFI 36-2623. Computer products used in this report are available for use by operations and training officials.

Lieutenant Shannen Karpel, Inventory Development Specialist, developed the survey instrument; Lieutenant Ann Nakamura, Occupational Analyst, analyzed the data and wrote the final report. Mr. Wayne Fruge provided computer programming support, and Ms. Raquel A. Soliz provided administrative support. Major Randall C. Agee, Chief, Airman Analysis Section, Occupational Analysis Flight, Air Force Occupational Measurement Squadron, reviewed and approved this report for release.

Copies of this report are distributed to Air Staff sections, major commands, and other interested training and management personnel. Additional copies are available upon request to the Air Force Occupational Measurement Squadron, Attention: Chief, Occupational Analysis Flight (OMY), 1550 5th Street East, Randolph AFB, Texas 78150-4449 (DSN 487-6623)

RICHARD C. OURAND, JR., Lt Col, USAF Commander Air Force Occupational Measurement Sq JOSEPH S. TARTELL Chief, Occupational Analysis Flight Air Force Occupational Measurement Sq THIS PAGE INTENTIONALLY LEFT BLANK

#### SUMMARY OF RESULTS

- 1. <u>Survey Coverage</u>: The AFSC 4U0X1, Orthotic, career ladder was surveyed to obtain current job and task data. Results are based on data from 25 of the 33 eligible members of the career ladder.
- 2. <u>Specialty Jobs</u>: Survey data show there are three jobs in the career ladder: General Orthotic job, Mid-Level Orthotic job, and Orthotic Management job. Twenty-three of the twenty-five respondents are included in these jobs. The remaining two members were the AF Functional Manager and a superintendent of Orthotic.
- 3. <u>Career Ladder Progression</u>: Members progress typically through the career ladder. Three-skill level members spend most of their duty time performing technical tasks, 5-skill level members have some supervisory responsibility, 7-skill level members perform a mixture of more advanced technical and supervisory tasks, while the most senior personnel are career ladder managers.
- 4. <u>Training Analysis</u>: First-enlistment personnel perform tasks related to the General Orthotic and Mid-level Orthotic jobs. A Specialty Training Standard (STS) was created for the career ladder at the June 1994 Utilization and Training Workshop as part of the Career Field Education and Training Plan. All learning objectives of the Plan of Instruction (POI) matched to tasks are supported by survey data. Training personnel should review unmatched tasks.
- 5. <u>Job Satisfaction</u>: Satisfaction indicators for members of the Orthotic career ladder are generally higher than those for members of other medical specialties surveyed in 1993. Satisfaction has remained steady over the years, but reenlistment intentions are lower than for the previous survey.
- 6. <u>Implications</u>: The present classification structure for the career ladder is supported, as is the entry-level training program. There are no observable problems with job satisfaction.

THIS PAGE INTENTIONALLY LEFT BLANK

# OCCUPATIONAL SURVEY REPORT (OSR) ORTHOTIC CAREER LADDER AFSC 4U0X1

#### INTRODUCTION

This is a report of an occupational survey of the Orthotic career ladder conducted by the Occupational Analysis Flight, Air Force Occupational Measurement Squadron (AFOMS). The survey was conducted to update the currency of occupational survey data for this career ladder. The last survey report of this career ladder was published in December 1987.

#### Background

As described in the AFMAN 36-2108 Specialty Descriptions, 3-, 5-, and 7-skill level members construct, assemble, repair, and adjust orthoses (appliances or apparatus used to support, align, prevent, or correct a deformity and to improve functional ability) as directed by a medical officer. Orthotic personnel use shears, rivet punches, drills, lathes, saws, and other machine shop equipment and handtools to manufacture orthoses out of materials such as metals, plastics, leather, or cloth. They also make plaster impression of parts to be fitted to facilitate construction or fitting of orthoses.

Initial 3-skill level training for AFSC 4U0X1 personnel is provided through a 50-week course taught at Wilford Hall Medical Center, Lackland AFB TX. The Apprentice Orthotic course, J5AB04U031-000, covers basic anatomy, kinesiology, physiology, and treatment for pathophysiological conditions. Students are trained to interpret prescriptions for treatment; identify and safely use orthotic equipment; take measurements and make tracings; prepare negative and positive plaster of Paris molds; fabricate and fit upper, spinal, and lower extremity orthoses; locate and identify bony landmarks to ensure proper fit of orthoses; fabricate and fit molded foot orthoses; make shoe modifications; and fit soft-good or modular orthoses. Students also must complete requirements for cardiopulmonary resuscitation (CPR) certification.

Entry into the career ladder currently requires an Armed Forces Vocational Aptitude Battery (ASVAB) General score of 43 and a strength factor of G (40 lbs).

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

#### SURVEY METHODOLOGY

#### Inventory Development

The data collection instrument for this occupational survey was Air Force Job Inventory (JI) Air Force Personnel Test (AFPT) 90-919-002, dated November 1992. A tentative task list was prepared after reviewing pertinent career ladder publications and directives and tasks from the last AFSC 919X0 OSR. The preliminary task list was refined and validated through personal interviews with 10 subject-matter experts (SMEs) at the following locations:

BASE UNIT AND REASON FOR VISIT

Lackland AFB TX WHMC/SGHSBB (Training School/Medical Center)

Travis AFB CA DGMC/SGHTOC (Large Medical Center)

USAFA CO USAFA HOSP/SGHFO (Hospital vs. Medical Center)

The resulting JI contained a comprehensive listing of 300 tasks grouped under 10 duty headings. A background section requested information such as grade, job title, time in present job, time in service, job satisfaction, type of medical facility currently assigned to, and type of equipment operated.

### Survey Administration

From April 1993 through December 1993, Military Personnel Flights at operational bases worldwide administered the inventory to eligible AFSC 4U0X1 personnel. Members eligible for the survey consisted of the total population, excluding the following: (1) hospitalized personnel; (2) personnel in transition for a permanent change of station; (3) personnel retiring during the time inventories were administered to the field; and (4) personnel in their jobs less than 6 weeks. Participants were selected from a computer-generated mailing list obtained from Headquarters Air Force Military Personnel Center, Randolph AFB TX.

Each respondent first filled in an identification and biographical information section and then checked each task performed in their current job. After checking all tasks performed, each individual rated tasks checked on a 9-point scale showing relative time spent on that task as compared to all other tasks checked. The ratings ranged from 1 (very small amount time spent) through 5 (about average time spent) to 9 (very large amount spent).

To determine relative time spent for each task, all of a respondents' ratings are assumed to account for 100 percent of that member's time spent on the job and are summed. Each task rating is then divided by the total task ratings and multiplied by 100 to provide a relative percentage of time for each task. This procedure provides a basis for comparing tasks in terms of both percent members performing and average percentage of time spent.

### Survey Sample

Personnel were selected to participate in this survey to ensure an accurate representation across major commands (MAJCOMs) and paygrades. Table 1 reflects the MAJCOM distribution of AFSC 4U0X1 personnel eligible military AFSC 4U0X1 personnel, while Table 2 shows the paygrade distribution. The respondents are distributed proportionately across MAJCOMs and paygrades.

TABLE 1 MAJCOM DISTRIBUTION OF SAMPLE

COMMAND	NUMBER ASSIGNED	NUMBER IN SAMPLE
ACC AMC USAFE PACAF AETC AFMC USAFA	1 7 4 5 16 3 3	1 6 2 5 7 3 1
Total Assigned (As of October 199 Total Eligible Total Surveyed Total in Sample Percent of Assigned in Sample Percent of Surveyed in Sample	39 33 33 25 64% 76%	

TABLE 2
PAYGRADE DISTRIBUTION OF SAMPLE

PAYGRADE	NUMBER ASSIGNED	NUMBER IN SAMPLE
E-1 to E-3 E-4 E-5 E-6 E-7 E-8 E-9	7 7 10 7 4 2 2	7 4 5 5 2 1

#### Task Factor Administration

Job descriptions alone do not provide sufficient data for making decisions about career ladder documents or training programs. Task factor information is needed for a complete analysis of the career ladder. To obtain the needed task factor data, selected senior AFSC 4U0X1 personnel (generally E-6 or E-7 technicians) also completed a training emphasis (TE) or task difficulty (TD) booklet. These booklets were processed separately from the JIs and TE and TD data, where applicable, when analyzing other issues in this report.

Training Emphasis (TE). TE is defined as how important it is for first-enlistment personnel to receive structured training on each task to perform it successfully. Structured training is defined as training provided by resident technical schools, field training detachments, mobile training teams, formal on-the-job-training (OJT), or any other organized training method. Four experienced NCOs rated tasks in the inventory on a 10-point scale ranging from 0 (not important to train) to 9 (extremely important to train). Overall agreement among the raters was acceptable. The average TE rating for AFSC 4U0X1 was 3.94, with a standard deviation of 2.90. Tasks with a TE rating of 6.84 or greater for AFSC 4U0X1 tasks are considered to be important to train.

<u>Task Difficulty (TD)</u>. TD is defined as an estimate of how much time the average airman needs to learn how to perform each task satisfactorily. Six experienced AFSC 4U0X1 NCOs rated the difficulty of the tasks in the inventory using a 9-point scale ranging from 1 (easy to learn) to 9 (very difficult to learn). Interrater agreement for these six raters was also acceptable. TD ratings are normally adjusted so tasks of average difficulty have a value of 5.00, and a standard deviation of 1.00. Any task with a TD rating of 6.00 or above is considered difficult to learn.

When used in conjunction with the primary criterion of percent members performing, TD and TE ratings can provide insight into first-enlistment personnel training requirements. Such insights may suggest a need for lengthening or shortening portions of instruction supporting AFS entry-level jobs.

# SPECIALTY JOBS (Career Ladder Structure)

The first step in the analysis process is to identify the structure of the career ladder in terms of the jobs performed by the respondents. Comprehensive Occupational Data Analysis Programs (CODAP) assist by creating an individual job description for each respondent based on the tasks performed and relative amount of time spent on the tasks. The hierarchical clustering program compares all the individual job descriptions, locates the two jobs with the most similar descriptions, and combines them to form a stage in the clustering sequence. In successive stages, new members are added to the initial group, or new stages are formed based on the similarity of tasks performed and time spent. This process continues until as many respondents as possible are included in a group.

The basic group used in the hierarchical clustering process is the <u>Job</u>. When two or more jobs have a substantial degree of similarity in tasks performed and time spent on tasks, they are grouped together and identified as a <u>Cluster</u>. The structure of the career ladder is then defined in terms of jobs and clusters of jobs.

# Overview of Specialty Jobs

Based on the analysis of tasks performed and the amount of time spent performing each task, three jobs were identified within the career ladder. A listing of these jobs is provided below. The stage (STG) number shown beside each title references computer-printed information; the letter "N" stands for the number of personnel in each group.

- I. GENERAL ORTHOTIC JOB (STG4, N=10)
- II. MID-LEVEL ORTHOTIC JOB (STG6, N=6)
- III. ORTHOTIC MANAGEMENT JOB (STG8, N=7)

The jobs account for 23 of the 25 respondents in the survey sample. The remaining two people performed tasks or series of tasks which did not group with any of the defined jobs and reported duty titles of "Manager Division of Surgery" (AF Functional Manager) and "Superintendent Orthotic." The AF Functional Manager reported performing only supervisory management tasks. The Superintendent of Orthotic indicated doing some technical tasks to assist with patient care, but also did not group into any of the three jobs due to the performance of more supervisory management level tasks. Figure 1 illustrates the jobs performed by AFSC 4U0X1 personnel.




FIGURE 1

# Group Descriptions

The following paragraphs contain brief descriptions of the three jobs identified through the career ladder structure analysis. Appendix A lists representative tasks performed by members with each job. Table 3 displays time spent on duties, while Table 4 provides demographic information for each job discussed within this report.

I. <u>GENERAL ORTHOTIC</u> <u>JOB</u> (<u>STG4</u>, <u>N=10</u>). This is the core job of the career ladder. Respondents with this job indicated spending 41 percent of their time performing such general orthotic tasks as making positive or negative molds to create orthoses, mixing powdered plaster of Paris, or maintaining orthotic lab facilities. Incumbents also spend a substantial amount of time performing such basic shoe bench tasks as fabricating arch supports, cutting insoles, or creating accommodative foot insoles. Other representative tasks performed by members with this job include:

take foam tray foot impressions
fit molded leather or plastic foot Orthotic
fabricate molded leather or plastic foot Orthotic
modify molded leather or plastic foot Orthotic
fit patients with knee supports without hinges
vacuum form plastics to positive molds
cut materials to proper dimensions, such as plastic,
cloth, strap, or metal
heat plastics in ovens or water
interpret prescriptions
cut insoles
fit patients with hand or wrist splints
repair or refurbish orthoses
fit patients with tennis elbow straps

Incumbents tend to be the more junior personnel in the career ladder, averaging 7 years in the service. Members range in paygrade from E-2 to E-5, and most hold either the 3- or 5-skill level.

II. MID-LEVEL ORTHOTIC JOB (STG6, N=6). This job comprises 24 percent of the sample. Incumbents in the Mid-Level Orthotic job perform an average of 172 tasks, 61 more tasks than those with the General Orthotic job. Although respondents with this job perform many of the same tasks as incumbents with the General Orthotic job, their focus is more on tasks requiring a slightly higher level of technical expertise, such as providing patient care for lower extremities and spinal orthotic needs.

TABLE 3

AVERAGE PERCENT TIME SPENT ON DUTIES BY CAREER LADDER JOBS

		GENERAL ORTHOTIC JOB	MID-LEVEL ORTHOTIC JOB	ORTHOTIC MANAGEMENT JOB
DU	ΓΙΕS	N=10	(N=6)	(N=7)
A	ORGANIZING AND PLANNING	2	2	6
В	DIRECTING AND IMPLEMENTING	1	1	5
С	INSPECTING AND EVALUATING	1	2	6
D	TRAINING	*	1	4
E	PERFORMING GENERAL ADMINISTRATIVE AND SUPPLY TASKS	6	5	9
F	PERFORMING GENERAL ORTHOTIC TASKS	41	30	26
G	PERFORMING UPPER EXTREMITIES ORTHOTIC TASKS	9	13	11
Н	PERFORMING LOWER EXTREMITIES ORTHOTIC TASKS	11	17	10
I	PERFORMING SPINAL ORTHOTIC TASKS	7	14	10
J	PERFORMING SHOE BENCH ORTHOTIC TASKS	22	16	13

<sup>\*</sup> Denotes less than 1 percent

TABLE 4

SELECTED BACKGROUND DATA FOR DAFSC 4U0X1

CAREER LADDER JOBS

	GENERAL	MID-LEVEL	ORTHOTIC
	ORTHOTIC	ORTHOTIC	MANAGEMENT
	JOB	JOB	JOB
NUMBER IN GROUP	10	6	7
PERCENT OF SAMPLE	40	24	28
DAFSC DISTRIBUTION 4U031 4U051 4U071 4U091 CEM	30% 30% 40% 0% 0%	33% 33% 33% 0% 0%	0% 0% 86% 0%
PAYGRADE DISTRIBUTION E-1 to E-3 E-4 E-5 E-6 E-7 E-8 E-9	40%	33%	14%
	20%	33%	0%
	40%	0%	14%
	0%	17%	57%
	0%	17%	14%
	0%	0%	0%
AVERAGE NUMBER OF TASKS PERFORMED AVERAGE MONTHS TAFMS PERCENT IN FIRST ENLISTMENT PERCENT SUPERVISING	111	172	184
	86	95	182
	40%	50%	0%
	20%	33%	86%

The following are typical tasks members with the Mid-Level Orthotic job perform:

vacuum form plastics to positive molds
fit patients with plastic KAFOs (knee-ankle-foot orthoses)
fabricate plastic AFOs (ankle-foot orthoses)
modify plaster of Paris molds
modify molded leather or plastic foot orthoses
shape metal parts to positive molds
fabricate parts for orthoses
make entries on SFs 600 (Health Record - Chronological
Record of Medical Care)
fit patients with plastic HKAFOs (hip-knee-ankle-foot orthoses)
fit patients with body jackets

Incumbents hold from the 3- to 7-skill level, they average 8 years in the military service, and they are in paygrades E-2 through E-7. All find their job interesting and will probably reenlist.

III. ORTHOTIC MANAGEMENT JOB (STG8, N=7). Incumbents with this job are more senior personnel who perform an average of 184 tasks. What distinguishes this job from the others is the emphasis on supervisory and management responsibilities rather than technical aspects of the specialty. The following are typical tasks members with this job perform:

analyze workload requirements modify spinal x-rays for Boston Buckets determine or scheduling work assignments implement work methods coordinate maintenance of equipment with appropriate agencies

All but one incumbent hold the 7-skill level, six of the seven are in paygrades E-5 through E-7, and they average 15 years in the service. Many of the respondents in this job reported holding the duty titles of "NCOIC Orthotic Lab." The two respondents who did not group with the others in the sample included the AF Functional Manager and the Superintendent of Orthotic. Unlike other incumbents in the career ladder, the primary responsibilities of these two respondents are mainly administrative.

# Comparison of Current Group Descriptions to Previous Study

The results of the specialty job analysis were compared to the previous OSR, dated December 1987. Table 5 lists the major jobs identified in the 1994 report and their equivalent jobs from the 1987 OSR. A review of the jobs performed by the current sample indicates that all of the 1992 jobs were matched to similar jobs identified in the 1987 report.

# TABLE 5

# SPECIALTY JOB COMPARISONS BETWEEN CURRENT AND 1987 919X0 SURVEY

CURRENT SURVEY	1987 (919X0) SURVEY
- GENERAL ORTHOTIC JOB	- GENERAL
- MID-LEVEL ORTHOTIC JOB	- SUPERVISORS
- ORTHOTIC MANAGEMENT JOB	- MANAGERS
- OTHER	- OTHER

#### ANALYSIS OF DAFSC GROUPS

An analysis of DAFSC groups, in conjunction with the analysis of the career ladder structure, is an important part of each occupational survey. The DAFSC analysis identifies differences in tasks performed at the various skill levels. This information may be used to evaluate how well career ladder documents, such as AFMAN 36-2108 Specialty Descriptions, reflect what career ladder personnel are actually doing in the field.

The distribution of skill-level groups across the career ladder jobs is displayed in Table 6, while Table 7 offers another perspective by displaying percent time spent on each duty across the skill-level groups.

AFSC 4U0X1 personnel progress typically through the career ladder, with 3-skill level personnel spending most of their time on technical tasks and higher skill-level personnel performing more difficult technical and managerial tasks. This is shown by data in Table 6. The majority of 3-skill level personnel perform the General Orthotic job, most of the 5-skill level personnel perform the Mid-Level Orthotic job, and most of the 7-skill level perform the Orthotic Management job.

# Skill-Level Descriptions

<u>DAFSC 4U031</u>. The 4 airmen in the 3-skill level group perform an average of 108 tasks. They spend approximately 44 percent of their time performing general orthotic tasks, such as fitting patients with stock arch supports, taking foam tray foot impressions, filling negative casts with plaster of Paris, or fitting patients with lumbo-lacral (L-S) supports. They average slightly more than 2 years of active duty military service. Two of the four are in Air Mobility Command, with one in Air Education and Training Command and one in Air Force Material Command. Representative tasks these four respondents performed are listed in Table 8.

<u>DAFSC 4U051</u>. The 9 airmen in the 5-skill level group perform an average of 161 tasks. They spend a substantial amount of time performing general orthotic tasks, such as interpreting prescriptions, measuring patients for prefabricated orthoses, and heating plastics in ovens or water. They spend the remainder of their time performing shoe bench tasks, spinal orthotic tasks, and upper or lower extremities orthotic tasks. This is clearly shown in Table 9, which lists representative tasks performed by members of this group.

Although 5-skill level personnel spend the majority of their job time performing the same technical duties as their junior counterparts, it is the slight shift in job focus toward the performance of technical tasks requiring more experience which distinguishes them from 3-skill level personnel. As is shown in Table 10, more of the 5-skill level members perform such tasks as fitting patients with Boston Overlap Braces (BOBs), evaluating maintenance of equipment, counseling subordinates, and modifying spinal X-rays for BOBs.

TABLE 6

DISTRIBUTION OF SKILL-LEVEL MEMBERS
ACROSS CAREER LADDER JOBS
(PERCENT MEMBERS RESPONDING)

JOBS	4U031 (N=4)	4U051 (N=9)	4U071 (N=11)	4U000 (N=1)
GENERAL ORTHOTIC JOB	75	33	36	*
MID-LEVEL ORTHOTIC JOB	25	44	9	*
ORTHOTIC MANAGEMENT JOB	*	22	46	¥ĸ
OTHER	*	1	9	100

<sup>\*</sup> Denotes less than 1 percent

TABLE 7

TIME SPENT ON DUTIES BY MEMBERS OF SKILL-LEVEL GROUPS (RELATIVE PERCENT OF JOB TIME)

DU	TIES	4U031 (N=4)	4U051 (N=9)	4U071 (N=11)	4U000 (N=1)
A	ORGANIZING AND PLANNING	1	3	5	34
В	DIRECTING AND IMPLEMENTING	1	2	4	27
C	INSPECTING AND EVALUATING	*	2	5	31
D	TRAINING	*	2	3	8
E	PERFORMING GENERAL ADMINISTRATION AND SUPPLY TASKS	3	6	9	*
F	PERFORMING GENERAL ORTHOTIC TASKS	44	32	30	*
G	PERFORMING UPPER EXTREMITIES ORTHOTIC TASKS	8	12	10	*
Н	PERFORMING LOWER EXTREMITIES ORTHOTIC TASKS	12	14	11	*
I	PERFORMING SPINAL ORTHOTIC TASKS	8	11	9	*
J	PERFORMING SHOE BENCH ORTHOTIC TASKS	44	17	15	*

<sup>\*</sup> Denotes less than 1 percent

### TABLE 8

# REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U031 PERSONNEL

TASKS	S	PERCENT MEMBERS PERFORMING (N=4)
		100
J293	FIT PATIENTS WITH STOCK ARCH SUPPORTS	100
J299	TAKE FOAM TRAY FOOT IMPRESSIONS	100
J287	FABRICATE MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
J290	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100 100
J296	MODIFY MOLDED LEATHER OR POSITIVE MOLDS	100
F137	VACUUM FORM PLASTICS TO POSITIVE MOLDS	100
F105	FILL NEGATIVE CASTS WITH PLASTER OF PARIS	100
J284	CUT INSOLES	100
J285	FABRICATE ACCOMMODATIVE FOOT INSOLES	100
F127	REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS	100
F110	INTERPRET PRESCRIPTIONS	100
F124	PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES	100
F136	TRIM ORTHOSES	100
F125	REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS	100
F106	HEAT PLASTICS IN OVENS OR WATER	100
F102	CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,	100
	CLOTH, STRAP, OR METAL	100
F103	FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH	100
	PLASTER BANDAGES	100
J279	ATTACH METATARSAL BARS OR PADS TO FOOTWEAR	100
F118	MODIFY PLASTER OF PARIS MOLDS	100
H219	FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES	100
J281	ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR	100
	LEATHER  CASTS AND SEAL NEGATIVE CASTS	100
F100	CLOSE AND SEAL NEGATIVE CASTS	100
F126	REMOVE PLASTER CASTS FROM PATIENTS	100
F128	REPAIR OR REFURBISH ORTHOSES	100
F97	APPLY SEPARATING AGENTS TO NEGATIVE CASTS	100
F99	CLEAN PLASTICS COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE	100
F101		100
F116	MIX POWDERED PLASTER OF PARIS	100
F114	MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES	100
F122	THE PROPERTY OF TAXIDAADIC ON DATIENTS	100
F108	IDENTIFY BONY PROMINENCES OR LANDWARKS ON PATIENTS	100

# TABLE 9

# REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U051 PERSONNEL

TASK	S	PERCENT MEMBERS PERFORMING (N=9)
J290	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
H204	FABRICATE PLASTIC AFOs	100
F110	INTERPRET PRESCRIPTIONS	100
J286	FABRICATE EXTRINSIC OR INTRINSIC POSTED FOOT ORTHOTIC	100
J296	MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
F102	CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,	
	CLOTH, STRAP, OR METAL	100
J291	FIT PATIENTS WITH ACCOMMODATIVE FOOT INSOLES	100
F137	VACUUM FORM PLASTICS TO POSITIVE MOLDS	100
J287	FABRICATE MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
F115	MEASURE PATIENTS FOR PREFABRICATED ORTHOSES	100
F106	HEAT PLASTICS IN OVENS OR WATER	100
J285	FABRICATE ACCOMMODATIVE FOOT INSOLES	100
H219	FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES	100
F116	MIX POWDERED PLASTER OF PARIS	100
J284	CUT INSOLES	100
F136	TRIM ORTHOSES	100
F128	REPAIR OR REFURBISH ORTHOSES	100
F132	SELECT MATERIALS FOR CONSTRUCTION OF ORTHOTIC	
	DEVICES	100
F107	HEAT PLASTICS USING HEAT GUNS	100
I254	FIT PATIENTS WITH LUMBO-SACRAL (L-S) SUPPORTS	100
F105	FILL NEGATIVE CASTS WITH PLASTER OF PARIS	100
H218	FIT PATIENTS WITH KNEE SUPPORTS WITH METAL HINGES	100
F114	MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES	100
F124	PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES	100
F113	MAINTAIN ORTHOTIC LAB FACILITIES	100
F125	REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS	100
G181	FIT PATIENTS WITH WRIST SPLINTS OR GAUNTLETS	100
F122	PREPARE AND POSITION PATIENTS TO BE CASTED	100
<b>G</b> 167	FIT PATIENTS WITH HAND OR WRIST SPLINTS	100
J282	BUILD-UP FOOTWEAR	100
J293	FIT PATIENTS WITH STOCK ARCH SUPPORTS	100
F118	MODIFY PLASTER OF PARIS MOLDS	100
E130	PIVET OR SCREW METALS TO PLASTICS	100

TABLE 10

TASKS BEST DIFFERENTIATING DAFSC 4U031
AND DAFSC 4U051

TASK	S	4U031 (N=4)	4U051 (N=9)	DIFF
H221 H232 J300	FIT PATIENTS WITH METAL HKAFOs MEASURE PATIENTS FOR KIT PARAPODIUMS TAKE SLIPPER CAST FOOT IMPRESSIONS	75 25 100	44 0 78	31 25 22
G184	MODIFY FOREARM PLASTER MOLDS	0	78	-78
E89	MAKE ENTRIES ON DD FORMS 1348-6 (DOD SINGLE			
	LINE ITEM REQUISITION SYSTEM DOCUMENT)	0	78	-78 -78
E80	MAINTAIN ORTHOTIC SUPPLY CATALOGS	0	67	-67
B23	COORDINATE MAINTENANCE OF EQUIPMENT WITH			
	APPROPRIATE AGENCIES	0	67	-67
A8	ESTABLISH PERFORMANCE STANDARDS FOR			
	SUBORDINATES	0	67	-67
H229	FIT PATIENTS WITH TIBIAL ORTHOSES	0	67	-67
G160	FIT PATIENTS WITH AIRPLANE SPLINTS	25	89	-64
I251	FIT PATIENTS WITH CHAIR BACK ORTHOSES	25	89	-64
1249	FIT PATIENTS WITH BOSTON OVERLAP BRACES			-64
12 . ,	(BOBs)	25	89	
E93	MAKE ENTRIES ON SFs 513 (MEDICAL RECORD -			
275	CONSULTATION SHEET)	25	89	-64
I269	MODIFY BOBs	25	89	-64
C38	EVALUATE MAINTENANCE OF EQUIPMENT	0	56	-56
E84	MAINTAIN SUPPLY DOCUMENT LISTINGS	0	56	-56
B24	COUNSEL SUBORDINATES	0	56	-56
1275	MODIFY SPINAL X-RAYS FOR BOSTON BUCKETS	0	56	-56
C39	EVALUATE PERSONNEL FOR COMPLIANCE WITH			
(3)	PERFORMANCE STANDARDS	0	56	-56
E87	MAKE ENTRIES ON AF FORMS 601 (EQUIPMENT			
Lo7	ACTION REQUEST)	0	56	-56
1270	MODIFY BOSTON BUCKETS	25	78	-53
1270	FIT PATIENTS WITH STERNAL OCCIPITAL MANDIBLE			
1200	IMMOBILIZERS (SOMIs)	25	78	-53
E91	MAKE ENTRIES ON LOCAL PURCHASE FORMS	25	78	-53
EAI	WAIL BUILD ON BOOKE A STORE TO THE STATE OF			

DAFSC 4U071. Seven-skill level personnel also perform an average of 161 tasks. While 75 percent of their relative job time is spent performing general, upper, lower, spinal, and shoe bench orthotic technical tasks, they are distinguished from the 3-skill and 5-skill level personnel by their focus on managerial tasks. Such tasks include maintaining time accountability reports, scheduling leaves, drafting recommendations for changes in equipment, or writing EPRs. Further examples of technical tasks performed by 7-skill level personnel may be found in Table 11. Table 12 illustrates the differences between 5- and 7-skill level personnel. The only technical tasks specific to 7-skill level personnel involved fabricating or fitting Milwaukee braces. SMEs report newer and simpler forms of orthoses have replaced Milwaukee brace, and are not used by newer members of the career ladder.

<u>DAFSC 4U091/CEM.</u> DAFSC 4U091 personnel were not in the sample. A few DAFSC 4U071 personnel indicated they held a primary 9-skill level, and one CEM responded to the survey. According to these respondents, patient care needs and personnel shortages make it difficult for some senior personnel to focus entirely on supervisory and managerial tasks. The one CEM respondent was unique, however, because he performed only supervisory and management tasks. Typical supervisory and management tasks performed include establishing performance standards for subordinates, conducting staff assistance visits, and counseling subordinates. Other representative tasks performed by senior personnel are listed on Table 13. Differences between tasks performed by 7-skill level and CEM personnel are shown on Table 14. Note the most senior respondent performed only supervisory and administrative tasks listed at the bottom of the table.

### Summary

Personnel in the Orthotic Specialty demonstrate a typical progression through the career ladder, with 3-skill level personnel spending the vast majority of their job time performing technical tasks. These is a slight shift towards supervisory functions at the 5-skill level, with members still spending more than 86 percent of their duty time performing technical functions. Personnel at the 7-skill level perform more technical tasks than in other career ladders, but still are distinguished by the time spent on tasks requiring more technical expertise and some management responsibilities, as compared to the more junior personnel. Nine-skill and CEM-level personnel are clearly the career ladder managers.

# **ANALYSIS OF AFMAN 36-2108 SPECIALTY DESCRIPTIONS**

Survey data were compared to the AFMAN 36-2108 Specialty Descriptions for the Orthotic career ladder, dated 15 March 1991. Descriptions for the skill levels are generally accurate, depicting the highly technical aspects of the job, as well as the increase in supervisory responsibilities previously described in the DAFSC analysis. The descriptions also capture the primary responsibilities of members in the three jobs identified by the job structure analysis.

# TABLE 11 REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U071 PERSONNEL

		PERCENT MEMBERS PERFORMING (N=11)
TASKS		
	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
J290	FIT MOLDED LEATHER OR PLASTIC TOOT ON THE FIT PATIENTS WITH ACCOMMODATIVE FOOT INSOLES	100
J291	FIT PATIENTS WITH ACCOMMODATIVE TOOT IN	100
F116	MIX POWDERED PLASTER OF PARIS VACUUM FORM PLASTICS TO POSITIVE MOLDS	100
F137		100
J284	CUT INSOLES	100
J299	TAKE FOAM TRAY FOOT IMPRESSIONS MEASURE PATIENTS FOR PREFABRICATED ORTHOSES	100
F115		100
F136	TRIM ORTHOSES REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS	100
F127	MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES	100
F114	MEASURE PATIENTS FOR COSTON-WIND DOWN	100
F106	HEAT PLASTICS IN OVENS OR WATER PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES	100
F124	PREPARE POSITIVE MOLDS FOR FLASTIC ORTHOGOLOGICAL PROPERTY OF THE CASTS EDOM PATIENTS	100
F126	REMOVE PLASTER CASTS FROM PATIENTS FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES	100
H219	FIT PATIENTS WITH KNEE SUPPORTS WITHOUT THE	100
F118	MODIFY PLASTER OF PARIS MOLDS	100
F110	INTERPRET PRESCRIPTIONS	100
G167	FIT PATIENTS WITH HAND OR WRIST SPLINTS	100
H211	FIT PATIENTS WITH ANKLE ORTHOSES MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
J296	MODIFY MOLDED LEATHER OR PLASTIC TOOT ORTHOGOTOR	100
G178	FIT PATIENTS WITH TENNIS ELBOW STRAPS	100
H218	FIT PATIENTS WITH KNEE SUPPORTS WITH METAL HINGES	100
H223	FIT PATIENTS WITH PLASTIC AFOs	100
H204	FABRICATE PLASTIC AFOS	100
F105	FILL NEGATIVE CASTS WITH PLASTER OF PARIS	
F103	FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH	100
	PLASTER BANDAGES	100
F100	CLOSE AND SEAL NEGATIVE CASTS  CLOSE AND SEAL NEGATIVE CASTS  CLOSE AND SEAL NEGATIVE CASTS	
F102	CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,	100
	CLOTH, STRAP, OR METAL	100
J282	BUILD-UP FOOTWEAR	100
F122	PREPARE AND POSITION PATIENTS TO BE CASTED  OF PARIS MOLDS	100
F125	REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS	100
J292	FIT PATIENTS WITH HEEL CUPS	
F101	COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE	100
F99	CLEAN PLASTICS	

TABLE 12

TASKS WHICH BEST DIFFERENTIATE BETWEEN DAFSC 4U051
AND DAFSC 4U071 PERSONNEL
(PERCENT MEMBERS PERFORMING)

TASK	S	2R051 (N=9)	2R071 (N=11)	DIFF
1204	INSERT METAL PLATES IN FOOTWEAR	78	27	51
J294	ASSEMBLE KIT PARAPODIUMS	56	9	46
H194	MODIFY FOREARM PLASTER MOLDS	78	36	41
G184	FABRICATE PLASTIC HEEL CUPS	78	36	41
J288	FABRICATE PLASTIC HEEL CUPS FABRICATE CUSTOM KNEE ORTHOSES	78	36	41
H198	LOAD OR UNLOAD PATIENTS TO OR FROM TRANSPORT	70		
F112		67	27	39
<b>C</b> 100	VEHICLES MODIFY WRIST OR HAND PLASTER MOLDS	67	27	39
G190	PERFORM MOLD-A-BRACE TECHNIQUES TO FIT	07	2,	
I276	PATIENTS WITH TEMPORARY BODY JACKETS	56	18	37
G1.	FIT PATIENTS WITH FOREARM SPLINTS	100	64	36
G166		44	9	35
H216	FIT PATIENTS WITH KIT PARAPODIUMS	90	55	34
1269	MODIFY BOBS	33	0	33
H215	FIT PATIENTS WITH ISCHIAL RINGS	33	U	55
E85	MAINTAIN TIME ACCOUNTABILITY REPORTS	11	73	-62
A16	SCHEDULE LEAVES	22	73	-51
A3	DETERMINE PUBLICATION REQUIREMENTS	0	45	-45
B21	CONDUCT STAFF MEETINGS	0	45	-45
B26	DRAFT RECOMMENDATIONS FOR CHANGES IN			
DZO	EQUIPMENT	11	54	<b>-4</b> 3
B20	CONDUCT BRIEFINGS	11	54	-43
B33	INTERPRET POLICIES FOR SUBORDINATES	11	54	-43
Al	ASSIGN PERSONNEL TO DUTY POSITIONS	11	54	-43
A5	DEVELOP SELF-INSPECTION PROGRAMS	22	63	-41
C52	WRITE EPRs	33	72	-39
I255	FIT PATIENTS WITH MILWAUKEE ORTHOSES	0	36	-36
I240	FABRICATE MILWAUKEE ORTHOSES	0	27	-27
D55	CONDUCT TRAINING BRIEFINGS	11	36	-25
$\mathbf{D}$	COMPOCI TIGHTHO DIGITATION			

# TABLE 13

# REPRESENTATIVE TASKS PERFORMED BY DAFSC 4U000 PERSONNEL

		PERCENT MEMBERS PERFORMING (N=1)
TAS	KS	(1 · 2)
C49	INSPECT PERSONNEL FOR COMPLIANCE WITH MILITARY	
CTZ	STANDARDS	100
B30	IMPLEMENT SELF-INSPECTION PROGRAMS	100
All	PLAN BRIEFINGS	100
B20	CONDUCT BRIEFINGS	100
B21	CONDUCT STAFF MEETINGS	100
C48	INSPECT APPEARANCE OF FACILITIES	100
C43	EVALUATE SAFETY PROGRAMS	100
A13	PLAN SAFETY PROGRAMS	100
B29	IMPLEMENT SAFETY PROGRAMS	100
A14	PLAN WORK ASSIGNMENTS	100
C36	FVALUATE BUDGET REOUIREMENTS	100
A8	ESTABLISH PERFORMANCE STANDARDS FOR SUBORDINATES	100
A7	DRAFT BUDGET REQUIREMENTS	100
A15	SCHEDULE FACILITIES OR EQUIPMENT INSPECTIONS	100
A5	DEVELOP SELF-INSPECTIONS PROGRAMS	100
C35	CONDUCT STAFF ASSISTANCE VISITS	100
B31	IMPLEMENT WORK METHODS	100
B19	COMPILE DATA FOR REPORTS FOR STAFF STUDIES	100
C34	ANALYZE WORKLOAD REQUIREMENTS	100
B33	INTERPRET POLICIES FOR SUBORDINATES	100
C45	FVALUATE WORK SCHEDULES	100
C39	EVALUATE PERSONNEL FOR COMPLIANCE WITH PERFORMANCE	
007	STANDARDS	100
A10	ESTABLISH WORK SCHEDULES	100
A2	DETERMINE OR SCHEDULE WORK PRIORITIES	100
B24	COUNSEL SUBORDINATES	100
A6	DEVELOP WORK METHODS	100
A16	SCHEDULE LEAVES	100
C42	EVALUATE QUALITY CONTROL PROCEDURES	100
C40	EVALUATE PERSONNEL FOR DEMOTIONS, PROMOTIONS, OR	
C40	DECLASSIFICATIONS	100
B22	CONDUCT SUPERVISORY ORIENTATIONS OF NEWLY ASSIGNED	
1022	PERSONNEL	100
Δ9	ESTABLISH PRODUCTION CONTROLS	100

TABLE 14

TASKS WHICH BEST DIFFERENTIATE BETWEEN
DAFSC 4U071 AND DAFSC 4U000 PERSONNEL
(PERCENT MEMBERS PERFORMING)

TASKS		4U071 (N=11)	4U000 (N=1)	DIFF
F129	REQUISITION CUSTOM-MADE ORTHOSES	100	0	100
F130	RIVET OR SCREW METALS TO PLASTICS	100	0	100
F131	SAND AND POLISH METALS	100	0	100
F132	SELECT MATERIALS FOR CONSTRUCTION OF			
	ORTHOTIC DEVICES	100	0	100
F133	SET OVEN TEMPERATURES	100	0	100
F134	SHAPE METAL PARTS TO POSITIVE MOLDS	100	0	100
F135	TRACE EXTREMITIES	100	0	100
J298	STRETCH FOOTWEAR	100	0	100
H204	FABRICATE PLASTIC AFOs	100	0	100
F128	REPAIR OR REFURBISH ORTHOSES	100	0	100
C35	CONDUCT STAFF ASSISTANCE VISITS	9	100	-91
A12	PLAN LAYOUTS OF FACILITIES	27	100	<b>-7</b> 3
A18	WRITE JOB DESCRIPTIONS	27	100	<b>-7</b> 3
D65	EVALUATE PROGRESS OF TRAINEES	27	100	-73
D54	ASSIGN ON-THE-JOB TRAINING (OJT) TRAINERS OR			
	RESIDENT COURSE INSTRUCTORS	27	100	<b>-73</b>
A17	SCHEDULE PERSONNEL FOR TEMPORARY DUTY			
	(TDY) ASSIGNMENTS	27	100	<b>-7</b> 3
C50	INVESTIGATE ACCIDENTS OR INCIDENTS	27	100	<b>-7</b> 3
A15	SCHEDULE FACILITIES OR EQUIPMENT INSPECTIONS	36	100	-64
D68	MAKE ENTRIES IN TRAINING RECORDS	36	100	-64
D59	DETERMINE OR ESTABLISH TRAINING			
	REQUIREMENTS	36	100	-64
C42	EVALUATE QUALITY CONTROL PROCEDURES	36	100	-64
C37	EVALUATE JOB DESCRIPTIONS	36	100	-64

#### TRAINING ANALYSIS

Sources of information, which can be used to assist in the development of relevant training programs for entry-level personnel are occupational survey data. Factors used to evaluate entry-level Orthotic training include jobs performed by first-enlistment personnel, overall distribution of first-enlistment personnel across career ladder jobs, percent first-job (1-24 months TAFMS) and first-enlistment (1-48 months TAFMS) members performing specific tasks, ratings of how much TE tasks should receive in formal training, and ratings of relative TD.

### First-Enlistment Personnel

Seven AFSC 4U0X1 respondents were in their first enlistment (1-48 months TAFMS). Three perform shoe bench tasks of the General Orthotic job, and three perform tasks related to the Mid-Level Orthotic job. The seventh performed such a variety of tasks he could not be grouped with the other jobs. Table 15 shows typical tasks performed by first-enlistment personnel, which include both shoe bench and more advanced measurement tasks.

#### TE and TD Data

TE and TD data are secondary task factors that can help training development personnel decide which tasks to emphasize for entry-level training. These ratings, based on the judgments of senior career ladder NCOs at operational units, provide a rank ordering of those tasks considered important for first-enlistment airman training (TE) and a measure of the relative difficulty of those tasks (TD). When combined with data on the percentages of first-enlistment personnel performing tasks, comparisons can be made to determine if training adjustments are necessary. For example, tasks receiving high ratings on both task factors (TE and TD), accompanied by moderate to high percentages performing, may warrant resident training. Those tasks receiving high task factor ratings, but low percentages performing, may be more appropriately planned for OJT programs within the career ladder. Low task factor ratings may highlight tasks best omitted from training for first-enlistment personnel. These decisions must be weighed against percentages of personnel performing the tasks, command concerns, and criticality of the tasks.

To assist training development personnel, AFOMS developed a computer program that uses these task factors and the percentage of first-enlistment personnel performing tasks to produce Automated Training Indicators (ATI). ATI correspond to training decisions listed and defined in the Training Decision Logic Table found in **Attachment 1**, **AETCR 52-22**. ATI allows training developers to quickly focus attention on those tasks which are most likely to qualify for ABR course consideration.

# TABLE 15

# REPRESENTATIVE TASKS PERFORMED BY FIRST-ENLISTMENT PERSONNEL

J287 FABRICATE MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC  J290 FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC  J291 FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC  J293 FIT PATIENTS WITH STOCK ARCH SUPPORTS  J293 FIT PATIENTS WITH STOCK ARCH SUPPORTS  J294 FIT PATIENTS WITH STOCK ARCH SUPPORTS  J295 FILL NEGATIVE CASTS WITH PLASTIC FOOT ORTHOTIC  J296 MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC  J297 FIT PATIENTS WITH STOCK ARCH SUPPORTS  J298 FIT PATIENTS WITH STOCK ARCH SUPPORTS  J299 FIT PATIENTS WITH STOCK ARCH SUPPORTS  J290 FILL NEGATIVE CASTS WITH PLASTER OF PARIS  J290 FILL NEGATIVE CASTS WITH PLASTER OF PARIS  J291 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES  J292 FILL PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES  J293 FILL PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES  J294 PREPARE POSITIVE CASTS FROM PLASTER OF PARIS MOLDS  J295 FEBOUR NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS  J296 HEAT PLASTICS IN OVENS OR WATER  J297 CLOTH, STRAP, OR METAL  J298 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH  PLASTER BANDAGES  J299 CLEAN PLASTICS  J290 CLEAN PLASTICS  J290 CLEAN PLASTICS  J291 CLEAN PLASTICS  J291 CLEAN PLASTICS  J291 CLEAN PLASTICS  J292 CLEAN PLASTICS  J293 CLEAN PLASTICS  J294 CLEAN PLASTICS  J295 CLEAN PLASTICS  J296 CLEAN PLASTICS  J297 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  J298 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  J299 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  J299 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  J299 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  J200 PREPARE AND POSITION PATIENTS TO BE CASTED  J200 PREPARE AND POSITION PA			PERCENT MEMBERS PERFORMING 4U0X1 (N=7)
FABRICATE MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC  1290 FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC 1293 FIT PATIENTS WITH STOCK ARCH SUPPORTS 100 F137 VACUUM FORM PLASTICS TO POSITIVE MOLDS 100 F138 F127 REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS F110 F111 F128 F129 F129 F129 F129 F120 F120 F120 F121 F121 F122 F122 F123 F124 F125 F125 F126 F126 F127 F127 F127 F127 F128 F128 F129 F129 F129 F129 F120 F120 F120 F121 F121 F122 F122 F123 F124 F125 F125 F126 F126 F127 F127 F127 F128 F128 F129 F129 F129 F129 F120 F120 F121 F121 F121 F122 F122 F123 F124 F125 F125 F126 F127 F127 F127 F127 F128 F128 F128 F128 F129 F128 F128 F128 F128 F128 F128 F128 F128	TASK		
J290 FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC J296 MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC J293 FIT PATIENTS WITH STOCK ARCH SUPPORTS F137 VACUUM FORM PLASTICS TO POSITIVE MOLDS F105 FILL NEGATIVE CASTS WITH PLASTER OF PARIS F106 FILL NEGATIVE CASTS WITH PLASTER OF PARIS F107 REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS F108 TRIM ORTHOSES F109 FREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES F100 F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES F136 TRIM ORTHOSES F136 TRIM ORTHOSES F107 HEAT PLASTICS IN OVENS OR WATER F108 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F109 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS F119 CLOSE AND SEAL NEGATIVE CASTS F100 CLOSE AND SEAL NEGATIVE CASTS F101 CLOSE AND SEAL NEGATIVE CASTS F102 CLEAN PLASTICS F103 FABRICATE ACCOMMODATIVE FOOT INSOLES F104 CLEAN PLASTICS F105 CLEAN PLASTICS F106 CLOSE AND SEAL NEGATIVE CASTS F107 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F108 REPAIR OR REFURBISH ORTHOSES F109 CLEAN PLASTICS F100 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F102 MIX POWDERED PLASTER OF PARIS F114 MEASURE PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F115 HATICH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F115 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F116 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F117 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F118 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F119 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F110 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F110 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F110 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS	1207	EARRICATE MOUDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
J296 MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC  J293 FIT PATIENTS WITH STOCK ARCH SUPPORTS  FIT PATIENTS WITH STOCK ARCH SUPPORTS  FILD SEMANDE PLASTICS TO POSITIVE MOLDS  FILD SEMANDE PLASTIC ORTHOSES FROM POSITIVE MOLDS  FILD INTERPRET PRESCRIPTIONS  FILD INTERPRET PRESCRIPTIONS  FILD REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS  FILD INTERPRET PRESCRIPTIONS  FILD REMOVE NEGATIVE CASTS FROM PLASTIC ORTHOSES  FILD REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS  FILD CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL  FILD FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES  FILD CLOSE AND SEAL NEGATIVE CASTS  FABRICATE ACCOMMODATIVE FOOT INSOLES  FOR CLEAN PLASTICS  FILD CLEAN PLASTICS  FILD CLEAN PLASTICS  FILD COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  FILD COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  FILD COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  FILD COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  FILD MIX POWDERED PLASTER OF PARIS  JESS FATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  JESS FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  JESS FIT P		FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
FIT PATIENTS WITH STOCK ARCH SUPPORTS  F137 VACUUM FORM PLASTICS TO POSITIVE MOLDS  F105 FILL NEGATIVE CASTS WITH PLASTER OF PARIS  F127 REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS  F110 INTERPRET PRESCRIPTIONS  F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES  F136 TRIM ORTHOSES  F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS  F126 HEAT PLASTICS IN OVENS OR WATER  F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,  CLOTH, STRAP, OR METAL  F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH  PLASTER BANDAGES  F118 MODIFY PLASTER OF PARIS MOLDS  F118 MODIFY PLASTER OF PARIS MOLDS  F100 CLOSE AND SEAL NEGATIVE CASTS  F100 CLOSE AND SEAL NEGATIVE CASTS  F128 REPAIR OR REFURBISH ORTHOSES  F129 CLEAN PLASTICS  F120 REMOVE PLASTER CASTS FROM PATIENTS  F121 REMOVE PLASTER CASTS FROM PATIENTS  F122 REMOVE PLASTER CASTS FROM PATIENTS  F123 REMOVE PLASTER CASTS FROM PATIENTS  F124 REMOVE PLASTER CASTS FROM PATIENTS  F125 REMOVE PLASTER CASTS FROM PATIENTS  F100 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  F116 MIX POWDERED PLASTER OF PARIS  H129 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F116 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F116 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  J00  F107 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		MODIEV MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
F137 VACUUM FORM PLASTICS TO POSITIVE MOLDS F105 FILL NEGATIVE CASTS WITH PLASTER OF PARIS F106 FILL NEGATIVE CASTS WITH PLASTER OF PARIS F107 REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS F110 INTERPRET PRESCRIPTIONS F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS F126 HEAT PLASTICS IN OVENS OR WATER F107 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F108 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLEAN PLASTICS F100 CLEAN PLASTICS F126 REPAIR OR REFURBISH ORTHOSES F127 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F100 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS F117 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F118 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F119 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F115 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F116 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F117 PREPARE AND POSITION PATIENTS TO BE CASTED F100 F101 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F101 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		MODIFY MOLDED CLATTICK OR TENENTS TO THE PARTIENTS WITH STOCK ARCH SUPPORTS	100
FILL NEGATIVE CASTS WITH PLASTER OF PARIS  FI27 REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS  F110 INTERPRET PRESCRIPTIONS  F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES  F136 TRIM ORTHOSES  F136 TRIM ORTHOSES  F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS  F106 HEAT PLASTICS IN OVENS OR WATER  F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,  CLOTH, STRAP, OR METAL  F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH  PLASTER BANDAGES  F118 MODIFY PLASTER OF PARIS MOLDS  F100 CLOSE AND SEAL NEGATIVE CASTS  F100 CLOSE AND SEAL NEGATIVE CASTS  F100 CLEAN PLASTICS  F128 REPAIR OR REFURBISH ORTHOSES  F129 CLEAN PLASTICS  F120 REMOVE PLASTER CASTS FROM PATIENTS  F120 REMOVE PLASTER CASTS FROM PATIENTS  F121 REMOVE PLASTER CASTS FROM PATIENTS  F122 REMOVE PLASTER CASTS FROM PATIENTS  F123 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F125 PREPARE AND POSITION PATIENTS TO BE CASTED  F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		WACHINA FORM DI ASTICS TO POSITIVE MOLDS	100
F127 REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS F110 INTERPRET PRESCRIPTIONS F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS F126 HEAT PLASTICS IN OVENS OR WATER F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLEAN PLASTICS F128 REPAIR OR REFURBISH ORTHOSES F128 REPAIR OR REFURBISH ORTHOSES F126 REMOVE PLASTER CASTS FROM PATIENTS F127 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F110 JATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F115 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F116 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F117 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F118 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F119 PREPARE AND POSITION PATIENTS TO BE CASTED F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		THE NECATIVE CASTS WITH PLASTER OF PARIS	100
F110 INTERPRET PRESCRIPTIONS F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES F136 TRIM ORTHOSES F136 TRIM ORTHOSES F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS F106 HEAT PLASTICS IN OVENS OR WATER F100 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS J285 FABRICATE ACCOMMODATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLOSE AND SEAL NEGATIVE CASTS F128 REPAIR OR REFURBISH ORTHOSES F128 REPAIR OR REFURBISH ORTHOSES F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS H1219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F116 MIX POWDERED PLASTER OF PARIS J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F105 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F116 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		DEMOVE BLASTIC OPTHOSES FROM POSITIVE MOLDS	100
F124 PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES F136 TRIM ORTHOSES F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS F106 HEAT PLASTICS IN OVENS OR WATER F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,		NITED DESCRIPTIONS	100
F136 TRIM ORTHOSES F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS F106 HEAT PLASTICS IN OVENS OR WATER F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,		DREDADE DOSITIVE MOI DS FOR PLASTIC ORTHOSES	100
F125 REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS F106 HEAT PLASTICS IN OVENS OR WATER F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS J285 FABRICATE ACCOMMODATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLOSE AND SEAL NEGATIVE CASTS F128 REPAIR OR REFURBISH ORTHOSES F128 REPAIR OR REFURBISH ORTHOSES F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS			100
F106 HEAT PLASTICS IN OVENS OR WATER F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS F1100 CLOSE AND SEAL NEGATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLEAN PLASTICS F128 REPAIR OR REFURBISH ORTHOSES F128 REPAIR OR REFURBISH ORTHOSES F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS F117 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F128 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F100 J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F116 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		DEMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS	100
F102 CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP, OR METAL F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS F100 CLOSE AND SEAL NEGATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLEAN PLASTICS F128 REPAIR OR REFURBISH ORTHOSES F128 REPAIR OR REFURBISH ORTHOSES F100 F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS F117 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F118 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F100 J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F101 PREPARE AND POSITION PATIENTS TO BE CASTED F102 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS			100
F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS J285 FABRICATE ACCOMMODATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLOSE AND SEAL NEGATIVE CASTS F128 REPAIR OR REFURBISH ORTHOSES F128 REPAIR OR REFURBISH ORTHOSES F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS F17 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F18 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F129 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F120 PREPARE AND POSITION PATIENTS TO BE CASTED F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC,	
F103 FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER BANDAGES F118 MODIFY PLASTER OF PARIS MOLDS J285 FABRICATE ACCOMMODATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F100 CLEAN PLASTICS F100 CLEAN PLASTICS F128 REPAIR OR REFURBISH ORTHOSES F129 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F100 F110 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F111 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F112 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F120 PREPARE AND POSITION PATIENTS TO BE CASTED F101 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F100 F101 COVER POSITION PATIENTS TO BE CASTED F101 COVER POSITION PATIENTS TO BE CASTED F102 PREPARE AND POSITION PATIENTS TO BE CASTED F103 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS	F102		100
PLASTER BANDAGES  F118 MODIFY PLASTER OF PARIS MOLDS  J285 FABRICATE ACCOMMODATIVE FOOT INSOLES  F100 CLOSE AND SEAL NEGATIVE CASTS  F99 CLEAN PLASTICS  F128 REPAIR OR REFURBISH ORTHOSES  F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS  F100 F126 REMOVE PLASTER CASTS FROM PATIENTS  F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  F116 MIX POWDERED PLASTER OF PARIS  H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100  100  100  100  100  1	E102	FARRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH	
F118 MODIFY PLASTER OF PARIS MOLDS  J285 FABRICATE ACCOMMODATIVE FOOT INSOLES  F100 CLOSE AND SEAL NEGATIVE CASTS  F99 CLEAN PLASTICS  F128 REPAIR OR REFURBISH ORTHOSES  F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS  F106 REMOVE PLASTER CASTS FROM PATIENTS  F107 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  F108 MIX POWDERED PLASTER OF PARIS  F109 H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F120 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  F100  F101 DO DE CASTED  100  F101 DO DE CASTED  100  F102 DO DE CASTED  100  F103 DO DE CASTED  100  F104 DO DE CASTED  100  F105 DO DE CASTED  100  F106 DO DE CASTED  100  F107 DO DE CASTED  100  F108 DO DE CASTED  100  F109 DO DE CASTED  100	F 103		100
J285 FABRICATE ACCOMMODATIVE FOOT INSOLES F100 CLOSE AND SEAL NEGATIVE CASTS F99 CLEAN PLASTICS F128 REPAIR OR REFURBISH ORTHOSES F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS F116 MIX POWDERED PLASTER OF PARIS F117 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F118 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F1279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F128 PREPARE AND POSITION PATIENTS TO BE CASTED F109 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F100 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS	E119		100
F100 CLOSE AND SEAL NEGATIVE CASTS  F99 CLEAN PLASTICS  F128 REPAIR OR REFURBISH ORTHOSES  F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS  F126 REMOVE PLASTER CASTS FROM PATIENTS  F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE  F116 MIX POWDERED PLASTER OF PARIS  H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BOMY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100  100  100  100  100  1		EARDICATE ACCOMMODATIVE FOOT INSOLES	100
F99 CLEAN PLASTICS F128 REPAIR OR REFURBISH ORTHOSES F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS F117 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F118 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F1279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F122 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F100 F101 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F101 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F102 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		CLOSE AND SEAL NEGATIVE CASTS	100
F128 REPAIR OR REFURBISH ORTHOSES F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F122 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS 100 F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS			100
F97 APPLY SEPARATING AGENTS TO NEGATIVE CASTS F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F106 MIX POWDERED PLASTER OF PARIS F117 PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES F118 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES F127 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F128 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F100 F101 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F102 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F103 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F104 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS F105 DENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS			100
F126 REMOVE PLASTER CASTS FROM PATIENTS F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F122 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS 100 F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS		ADDI V SEPARATING AGENTS TO NEGATIVE CASTS	100
F101 COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE F116 MIX POWDERED PLASTER OF PARIS H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F122 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS 100 F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS 100 100		PEMOVE PLASTER CASTS FROM PATIENTS	
F116 MIX POWDERED PLASTER OF PARIS H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR F122 PREPARE AND POSITION PATIENTS TO BE CASTED F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS 100 100 100 100 100 100 100 100 100 10		COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE	
H219 FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES  J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR  LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100  100  100  100  100  1		MIX POWDERED PLASTER OF PARIS	
J281 ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  F100  F100		FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES	100
LEATHER  F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100		ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR	
F114 MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES  J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100	J201		
J279 ATTACH METATARSAL BARS OR PADS TO FOOTWEAR  F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100	E114	MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES	
F122 PREPARE AND POSITION PATIENTS TO BE CASTED  F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS  100  100  100		ATTACH METATARSAL BARS OR PADS TO FOOTWEAR	
F108 IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS 100		DDEPARE AND POSITION PATIENTS TO BE CASTED	
TO THE PARTY OF A CITATION OF THE PARTY OF T		IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS	
	F108	MAINTAIN ORTHOTIC LAB FACILITIES	100

Tasks having the highest TE ratings are listed in Table 16. Included for each task are the percentage of first-job and first-enlistment personnel performing and the TD rating. As illustrated in Table 16, tasks with the highest TE ratings deal with general orthotic tasks, such as fabricating negative molds by casting patients with plaster bandages, identifying bony prominences or landmarks on patients, or modifying tracing to dimensions. Table 17 lists the tasks having the highest TD ratings. The percentage of first-enlistment, first-job, 5-, and 7-skill level personnel performing, and TE rating are also included for each task. Most tasks with high TD ratings involve lower extremity or spinal tasks, such as fabricating metal Hip-Knee-Ankle-Foot Orthoses (HKAFOs), fabricating body jackets, or fitting patients with reciprocating gait orthoses.

Various lists of tasks, accompanied by TE and TD ratings, are contained in the TRAINING EXTRACT package and should be reviewed in detail by technical school personnel. For a more detailed explanation of TE and TD ratings, see <u>Task Factor Administration</u> in the **SURVEY METHODOLOGY** section of this report.

# Specialty Training Standard (STS)

At the time of the survey, the Orthotic career ladder did not have an STS, but relied on Course Training Standards (CTSs) and Job Qualification Standards (JQSs). On 20-25 June 1994, the AF Functional Manager for Orthotic held a Utilization and Training Workshop (U&TW), with technical school personnel and MAJCOM representatives. At the U&TW they developed a draft STS as part of their Career Field Education and Training Plan (CFETP) mandated by the Year of Training Initiatives. The draft CFETP did not include 5- or 7-skill level CDCs at the conclusion of the U&TW, and did not include provisions for a Specialty Knowledge Test (SKT) as part of the Weighted Airman Promotion System (WAPS) testing program.

# Plan of Instruction (POI)

JI tasks were matched to related learning objectives in POI J5ABO 91930-000, dated 6 September 1989, with assistance from the AF Career Field Manager and the Superintendent of Orthotic at the technical school. The data examined included percent members performing data for first-enlistment (1-48 months' TAFMS) personnel and TE and TD ratings. ATI ratings for each task were also used.

POI blocks, units of instruction, and learning objectives were compared to the standards set forth in AFI 36-2623 (30 percent or more of the criterion first-job or first-enlistment group members performing tasks, along with sufficiently high TE and TD ratings on those tasks). By this guidance, learning objectives in the course which do not meet these criteria should be considered for elimination from the formal course, if not justified on some other acceptable basis.

A review of the tasks matched to the POI reveals that all matched learning objectives were supported by OSR data. There are, however, some technical tasks performed by over 30 percent of first-enlistment personnel that were not matched to the POI. These tasks, listed in Table 18,

TABLE 16

EXAMPLES OF 4U0X1 TASKS WITH HIGHEST TE RATINGS

		!	PERCENT MEMBERS PERFORMING	RFORMING	Š
TASKS		TNG	JOB	ENL	TASK
F103	FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH PLASTER RANDAGES	00.6	100	100	5.04
F108	IDENTIFY BONY PROMINENCES OR LANDMARKS ON PATIENTS	00.6	100	001	4.06
F137	VACUITM FORM PLASTICS TO POSITIVE MOLDS	8.75	100	100	4.06
H206	FABRICATE PLASTIC KAFOS	8.50	75	98	09'9
H204	FABRICATE PLASTIC AFOS	8.50	75	98	5.70
1287	FABRICATE MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	8.25	100	100	5.25
F119	MODIFY TRACING TO DIMENSIONS	8.25	100	100	5.33
1286	FABRICATE EXTRINSIC OR INTRINSIC POSTED FOOT ORTHOTIC	8.25	75	98	5.52
H223	FIT PATIENTS WITH PLASTIC AFOS	8.25	75	98	4.94
F135	TRACE EXTREMITIES	8.25	75	98	5.02
1290	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	8.00	100	100	4.83
1272	MODIFY PLASTER MOLDS FOR BODY JACKETS	8.00	75	71	6.09
H225	FIT PATIENTS WITH PLASTIC KAFOs	8.00	75	98	6.17
F122	PREPARE AND POSITION PATIENTS TO BE CASTED	8.00	100	100	4.84
F124	PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES	8.00	100	100	5.11
1247	FIT PATIENTS WITH BODY JACKETS	8.00	75	98	5.57
F134	SHAPE METAL PARTS TO POSITIVE MOLDS	8.00	75	98	5.75
1300	TAKE SLIPPER CAST FOOT IMPRESSIONS	8.00	100	98	5.49
F118	MODIFY PLASTER OF PARIS MOLDS	8.00	100	100	5.54
H201	FABRICATE METAL ANKLE-FOOT ORTHOSES (AFOs)	7.75	100	98	5.45
H203	FABRICATE METAL KNEE-ANKLE-FOOT ORTHOSES (KAFOs)	7.75	75	7.1	7.21
1295	MEASURE PATIENTS FOR CUSTOM FOOTWEAR	7.75	50	7.1	4.43

TE MEAN = 3.94 S.D. = 2.90 (High = 6.84) TD MEAN = 5.00 S.D. = 1.00

TABLE 16 (CONTINUED)

# EXAMPLES OF 4U0X1 TASKS WITH HIGHEST TE RATINGS

PERCENT

			PENCENTIA		
		ı	WEWDERS FER	AFORIVIINO A	
		LNG	IST	IST	TASK
TASKS		EMP	JOB	ENL	DIFF
F136	TRIM ORTHOSES	7.75	100	001	4.67
F114	MEACURE PATIENTS FOR CUSTOM-MADE ORTHOSES	7.75	100	100	5.15
1778	ATTACH METAL ORTHOSES TO FOOTWEAR	7.75	100	98	5.45
1237	FARRICATE BODY IACKETS	7.50	75	98	7.03
1253	FIT DATIENTS WITH KNIGHT TAYLOR ORTHOSES	7.50	50	57	5.29
1240	FIT PATIENTS WITH ROSTON OVERLAP BRACES (BOBs)	7.50	50	43	6.29
1248	FIT PATIENTS WITH BOSTON BUCKETS	7.50	50	57	7.09
F105	FILE NEGATIVE CASTS WITH PLASTER OF PARIS	7.50	100	100	2.76
F9C1	MEASURE PATIENTS FOR BOSTON BUCKETS	7.50	50	57	5 31
F115	MFASTIRE PATIENTS FOR PREFABRICATED ORTHOSES	7.50	100	001	4.08
F106	HEAT PLASTICS IN OVENS OR WATER	7.50	100	100	3.57
1251	FIT PATIENTS WITH CHAIR BACK ORTHOSES	7.50	50	57	4.75
F100	CLOSE AND SEAL NEGATIVE CASTS	7.50	100	100	2.05
F130	CLOSE AND SEAL NEGATIVE CASTS	7.50	100	100	2.05
F130	RIVET OR SCREW METALS TO PLASTICS	7.50	100	100	4.07
H220	FIT PATIENTS WITH METAL AFOS	7.50	75	7.1	4.94
H222	FIT PATIENTS WITH METALS KAFOs	7.50	75	71	6.03
F102	CIT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC, CLOTH, STRAP,				
201	OR METAL.	7.50	100	100	3.85
H205	FARRICATE PLASTIC HKAFOS	7.25	75	71	6.03
E93	MAKE ENTRIES ON SFs 513 (MEDICAL RECORD - CONSULTATION SHEET)	7.25	50	43	3.90

TE MEAN = 3.94 S.D. = 2.90 (High = 6.84) TD MEAN = 5.00 S.D. = 1.00

TABLE 17

# EXAMPLES OF 4U0X1 TASKS WITH HIGHEST TD RATINGS

PERCENT

			ME	MBERS F	MEMBERS PERFORMING	ING	
		TASK	IST	IST			DNL
TASKS		DIFF	JOB	ENL	10021	1001	EMP
H208	FABRICATE RECIPROCATING GAIT ORTHOSES	8.06	25	29	22	6	3.00
H202	FABRICATE METAL HIP-KNEE-ANKLE-FOOT ORTHOSES (HKAFOs)	7.49	50	57	7	55	7.00
H228	FIT PATIENTS WITH RECIPROCATING GAIT ORTHOSES	7.31	25	29	22	6	1.00
H203	FABRICATE METAL KNEE-ANKLE-FOOT ORTHOSES (KAFOs)	7.21	75	71	29	73	7.75
1237	FABRICATE BODY JACKETS	7.03	75	98	68	73	7.50
H209	FABRICATE TIBIAL ORTHOSES	88.9	50	43	78	55	7.25
H205	FABRICATE PLASTIC HKAFOs	6.87	75	57	++	55	7.25
1239	FABRICATE KNIGHT TAYLOR ORTHOSES	6.64	20	57	‡	36	7.00
H206	FABRICATE PLASTIC KAFOs	09'9	75	98	86	91	8.50
1270	MODIFY BOSTON BUCKETS	6.56	25	43	78	73	7.25
H195	ASSEMBLE OR BUILD CUSTOM STANDING FRAMES	6.35	50	43	7	81	3.50
1238	FABRICATE CHAIR BACK ORTHOSES	6.30	50	57	‡	55	7.00
1249	FIT PATIENTS WITH BOSTON OVERLAP BRACES (BOBs)	6.29	20	43	68	64	7.50
H224	FIT PATIENTS WITH PLASTIC HKAFOs	6.27	75	57	99	55	7.25
H221	FIT PATIENTS WITH METAL HKAFOs	6.27	75	71	7	55	6.50
H225		6.17	75	98	68	16	8.00
G157	FABRICATE TURNBUCKLE ELBOW SPLINTS	6.17	25	7	=	6	3.50
1260	FIT PATIENTS WITH STERNAL OCCIPITAL MANDIBLE IMMOBILIZERS						
	(SOMIS)	6.13	20	43	78	45	6.75
1300	TAKE SLIPPER CAST FOOT IMPRESSIONS	5.49	100	98	78	73	8.00
H201	FABRICATE METAL ANKLE-FOOT ORTHOSES (AFOs)	5.45	100	98	68	16	7.75
1278	ATTACH METAL ORTHOSES TO FOOTWEAR	5.45	100	98	68	82	7.75
J282	BUILD-UP FOOTWEAR	5.43	75	98	100	100	7.25
G185	MODIFY FULL-ARM PLASTER MOLDS	5.43	25	29	99	45	3.00
1294	INSERT METAL PLATES IN FOOTWEAR	5.39	75	57	78	27	4.00
G152	FABRICATE SHOULDER IMMOBILIZERS	5.33	20	29	22		6.25
F119	MODIFY TRACING TO DIMENSIONS	5.33	100	100	100	100	8.25

TD MEAN = 5.00 S.D. = 1.00TE MEAN = 3.94 S.D. = 2.90 (HIGH = 6.84)

TABLE 18

EXAMPLES OF TECHNICAL TASKS PERFORMED BY 30 PERCENT OR MORE DAFSC 4U0X1 GROUP MEMBERS AND NOT REFERENCED TO THE POI

TASKS		TNG	ATI	IST ENL (N=7)	1ST JOB (N=4)	TASK
E86 E93	MAKE ENTRIES ON AF FORMS 555 (PATIENT VISIT REGISTER) MAKE ENTRIES ON SFs 513 (MEDICAL RECORD - CONSULTATION SHEET)	5.75 7.25	3	50 50	29	3.98
E 94	MAKE ENTRIES ON SFS 600 (HEALTH RECORD - CHRONOLOGICAL RECORD OF MEDICAL CARE)	7.25	13	75	57	3.90
F110	INTERPRET PRESCRIPTIONS	7.25	81	001	001	4.97
F117	MODIFY CANES OR CRUTCHES	4.50	17	20	57	4.49
F128	REPAIR OR REFURBISH ORTHOSES	00.9	17	001	100	4.67
F129	REQUISITION CUSTOM-MADE ORTHOSES	5.25	17	75	71	4.34
0915	FIT PATIENTS WITH AIRPLANE SPLINTS	5.25	. 71	50	57	5.18
G181	FIT PATIENTS WITH WRIST SPLINTS OR GAUNTLETS	00.9	17	100	98	4.08
H193	ASSEMBLE HIP ABDUCTION ORTHOSES	5.50	15	50	43	5.28
H198	FABRICATE CUSTOM KNEE ORTHOSES	4.75	17	75	71	6.02
H202	FABRICATE METAL HIP-KNEE-ANKLE-FOOT ORTHOSES (HKAFOs)	7.00	18	50	57	6+.7
H205	FABRICATE PLASTIC HKAFOs	7.25	18	75	57	6.87
H221	FIT PATIENTS WITH METAL HKAFOs	6.50	17	7.5	7.1	6.27
H224	FIT PATIENTS WITH PLASTIC HKAFOs	7.25	18	75	57	6.27
1241	FABRICATE POSTERIOR SHELLS	5.25	17	75	57	6.10
1242	FABRICATE RIB BELTS	5.50	15	50	43	4.79
1248	FIT PATIENTS WITH BOSTON BUCKETS	7.50	18	20	57	7.09
1249	FIT PATIENTS WITH BOSTON OVERLAP BRACES (BOBs)	7.50	12	50	43	6.29
1260	FIT PATIENTS WITH STERNAL OCCIPITAL MANDIBLE IMMOBILIZERS (SOMIS)	6.75	15	50	43	6.13
1264	MEASURE PATIENTS FOR BOSTON BUCKETS	7.50	18	50	57	5.31
1269	MODIFY BOBs	6.25	15	50	43	5.83
1270	MODIFY BOSTON BUCKETS	7.25	12	25	43	95'9
1273	MODIFY PLASTER MOLDS FOR POSTERIOR SHELLS	00.9	17	75	57	5.99
J283	CAST PATIENTS FOR CUSTOM FOOTWEAR	6.75	17	100	98	4.65
J295	MEASURE PATIENTS FOR CUSTOM FOOTWEAR	7.75	18	50	71	4.43

TE MEAN = 3.94 S.D. = 2.90 (High = 6.84) TD MEAN = 5.00 S.D. = 1.00

TABLE 18 (CONTINUED)

EXAMPLES OF TECHNICAL TASKS PERFORMED BY 30 PERCENT OR MORE DAFSC 4U0X1 GROUP MEMBERS AND NOT REFERENCED TO THE POI

TASKS		TNG	ATI	IST ENL (N=7)	1ST JOB (N=4)	TASK DIFF
H22.1	FIT PATIENTS WITH META! HKAFOs	02.9	<u>.</u>	7	7	,
H224	FIT PATIENTS WITH PLASTIC HKAFOs	7.25	· 8	27	1 / 1	6.37
1241	FABRICATE POSTERIOR SHELLS	5.25	17	75	57	6.10
1242	FABRICATE RIB BELTS	5.50	15	50	73	4 79
1248	FIT PATIENTS WITH BOSTON BUCKETS	7.50	18	50	57	7.09
1249	FIT PATIENTS WITH BOSTON OVERLAP BRACES (BOBs)	7.50	12	50	43	6.29
1260	FIT PATIENTS WITH STERNAL OCCIPITAL MANDIBLE IMMOBILIZERS					
	(SOMIs)	6.75	15	50	+3	6.13
1264	MEASURE PATIENTS FOR BOSTON BUCKETS	7.50	18	50	57	531
1269	MODIFY BOBs	6.25	15	50	43	5 83
1270	MODIFY BOSTON BUCKETS	7.25	12	25	<del>- 2</del>	6.56
1273	MODIFY PLASTER MOLDS FOR POSTERIOR SHELLS	00'9	17	75	57	5.99
1283	CAST PATIENTS FOR CUSTOM FOOTWEAR	6.75	17	100	98	4.65
J295	MEASURE PATIENTS FOR CUSTOM FOOTWEAR	7.75	18	50	7.1	4.43

TE MEAN = 3.94 S.D. = 2.90 (High = 6.84) TD MEAN = 5.00 S.D. = 1.00

included such things as making entries on AF Forms 555, SFs 513, and SFs 600; modifying canes or crutches; and fitting patients with airplane splints. In addition to many members performing these functions, several of these tasks have high TE and TD. Training personnel and SMEs should review these and other unreferenced tasks to determine if training should be provided in the formal course.

# JOB SATISFACTION ANALYSIS

An examination of job satisfaction indicators can give career ladder managers a better understanding of factors that may affect the job performance of career ladder airmen. Therefore, the survey booklet included questions about job interest, perceived utilization of talents and training, sense of accomplishment from work, and reenlistment intentions. The responses of the current survey sample were then analyzed by making several comparisons: (1) among TAFMS groups and a comparative sample of respondents from other Medical career fields recently surveyed, (2) between current and previous survey TAFMS groups, and (3) across those clusters and jobs identified in the **SPECIALTY JOBS** section of this report.

Table 19 compares first-enlistment (1-48 months TAFMS), second-enlistment (49-96 months TAFMS), and career (97+ months TAFMS) group data to corresponding enlistment groups from other Medical AFSCs surveyed during the previous calendar year. These data give a relative measure of how the job satisfaction of AFSC 4U0X1 personnel compares with similar Air Force specialties. Orthotic personnel reported generally higher job satisfaction than members of the comparative sample. Reenlistment intentions, however, for the 49-96 months TAFMS group were slightly less positive than the comparative sample. An indication of changes in job satisfaction perceptions within the career ladder is provided in Table 20, which presents TAFMS group data for 1994 survey respondents and data from respondents to the last OSR of the career ladder in 1987 (AFSC 919X0). Generally, perceptions of job satisfaction have remained constant, except in the areas of reenlistment intentions, for all TAFMS groups when compared to the AFSC 4U0X1 sample.

Table 21 presents job satisfaction data for members with the major jobs identified in the career ladder structure for AFSC 4U0X1. An examination of these data may reveal indications of concern to functional managers. Job satisfaction indicators for the specialty job groups suggest that members of the Orthotic Management job are most satisfied. Members in the Mid-Level Orthotic job have the most positive reenlistment intentions, while members in the General Orthotic job have the least positive.

TABLE 19

COMPARISON OF JOB SATISFACTION INDICATORS FOR TAFMS GROUPS IN CURRENT SURVEY TO A COMPARATIVE SAMPLE (PERCENT MEMBERS RESPONDING)

	1-48 MON	1-48 MONTHS TAFMS	19-96 MOI	49-96 MONTHS TAFMS	97+ MON	97+ MONTHS TAFMS
		COMP*		COMP*		COMP*
	4U0X1	SAMPLE	4U0X1	SAMPLE	4U0X1	SAMPLE
	(N=7)	(N=341)	(N=2)	(N=231)	(N=16)	(N=387)
EXPRESSED JOB INTEREST:						
INTERESTING	100	78	100	81	6	78
SO-SO	0	12	0	14	0	13
DULL	0	10	0	\$	9	6
PERCEIVED USE OF TALENTS:						
FAIRLY WELL TO PERFECT	100	83	100	83	88	98
NONE TO VERY LITTLE	0	17	0	17	13	+1
PERCEIVED USE OF TRAINING:						
FAIRLY WELL TO PERFECT	100	68	100	06	88	06
NONE TO VERY LITTLE	0	11	0	01	13	10
SENSE OF ACCOMPLISHMENT FROM JOB:						
SATISFIED	100	72	100	72	88	73
NEUTRAL	0	6	0	12	0	10
DISSATISFIED	0	61	0	91	13	17
REENLISTMENT INTENTIONS:						
YES OR PROBABLY YES	57	52	50	29	81	78
NO OR PROBABLY NO	43	48	50	32	0	<b>«</b>
WILL RETIRE	0	0	0	_	19	71

\* Comparative sample includes medical personnel surveyed in 1993 (AFSC s 4J0X1 and 4P0X1)

TABLE 20

COMPARISON OF JOB SATISFACTION INDICATORS FOR TOTAL TAFMS GROUPS IN CURRENT SURVEY TO 1987 SURVEY (PERCENT MEMBERS RESPONDING)

	1-48 MONTHS TAFMS	HS TAFMS	49-96 MONTHS TAFMS	HS TAFMS	97+ MONTHS TAFMS	<b>HS TAFMS</b>
	1661	1987	1994	1987	1994	1987
	(N=7)	(N=13)	(N=2)	(N=13)	(N=16)	(N=17)
EXPRESSED JOB INTEREST						
INTERESTING	100	69	100	100	64	88
SO-SO	0	<b>∞</b>	0	0	0	12
DULL	0	15	0	0	9	0
PERCEIVED USE OF TALENTS	•	!		•	Ç	
FAIRLY WELL TO PERFECT	001	11	001	901	88	+5
NONE TO VERY LITTLE	0	15	0	0	13	9
PERCEIVED USE OF TRAINING						
FAIRLY WELL TO PERFECT	100	77	100	100	88	82
NONE TO VERY LITTLE	0	23	0	0	13	18
SENSE OF ACCOMPLISHMENT FROM JOB						
SATISFIED	100	*	100	*	88	*
NEUTRAL	0	*	0	*	0	*
DISSATISFIED	0	*	0	*	13	*
REENLISTMENT INTENTIONS						
YES OR PROBABLY YES	57	77	50	100	81	71
NO OR PROBABLY NO	43	23	20	0	0	12
WILL RETIRE	0	0	0	0	19	12

\* Data not reported in last survey

TABLE 21

JOB SATISFACTION INDICATORS FOR DAFSC AFSC 4U0X1 JOBS (PERCENT MEMBERS RESPONDING)

	GENERAL	MID-LEVEL	ORTHOTIC
	ORTHOTIC JOB	ORTHOTIC JOB	MANAGEMENT JOB
	(N=10)	(N=6)	(N=7)
EXPRESSED JOB INTEREST: INTERESTING SO-SO DULL	%01	%0	100%
	%0	%0	0%
	%06	%001	0%
PERCEIVED USE OF TALENTS: FAIRLY WELL TO PERFECT NONE TO VERY LITTLE	%06 10%	83%	%0 %001
PERCEIVED USE OF TRAINING: FAIRLY WELL TO PERFECT NONE TO VERY LITTLE	%01 %06	84%	%0 %001
SENSE OF ACCOMPLISHMENT FROM JOB: SATISFIED NEUTRAL DISSATISFIED	%01	83%	000%
	%0	0%	%0%
	%06	17%	%0%
REENLISTMENT INTENTIONS: YES OR PROBABLY YES NO OR PROBABLY NO WILL RETIRE	50%	%0	71%
	40%	0%	0%
	10%	%001	29%

### **IMPLICATIONS**

As explained in the **INTRODUCTION**, this survey was conducted primarily to provide training personnel with current information on the Orthotic career ladder for use in reviewing current training programs and training documents. Data compiled from this survey support the current structure of the AFSC 4U0X1 career ladder. The present classification structure, as described by the AFMAN 36-2108 Specialty Descriptions, accurately portrays the jobs in this study.

Analysis of career ladder documents indicates the POI is well supported by OSR data. There are, however, some tasks not matched to the POI that should be reviewed to determine if their inclusion in future revisions of the POI is warranted.

No serious job satisfaction problems appear to exist within this specialty. Overall, job satisfaction responses were almost all higher than those of a comparative sample of similar Air Force personnel surveyed in 1993.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX A

THIS PAGE INTENTIONALLY LEFT BLANK

### TABLE A1

# **GENERAL ORTHOTIC JOB**

# THE FOLLOWING ARE IN DESCENDING ORDER BY PERCENT MEMBERS PERFORMING:

TAS	KS	PERCENT MEMBERS PERFORMING
J299	TAKE FOAM TRAY FOOT IMPRESSIONS	100
J290	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
J287	FABRICATE MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	
J296	MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
F113	MAINTAIN ORTHOTIC LAB FACILITIES	100
F116	MIX POWDERED PLASTER OF PARIS	100
H219	FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES	100
F137	VACUUM FORM PLASTICS TO POSITIVE MOLDS	100
F102	CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS PLASTIC	
	CLOTH, STRAP, OR METAL	100
F106	HEAT PLASTICS IN OVENS OR WATER	100
F110	INTERPRET PRESCRIPTIONS	100
J284	CUT INSOLES	100
F115	MEASURE PATIENTS FOR PREFABRICATED ORTHOSES	100
J293	FIT PATIENTS WITH STOCK ARCH SUPPORTS	100
F136	TRIM ORTHOSES	100
J285	FABRICATE ACCOMMODATIVE FOOT INSOLES	100
F105	FILL NEGATIVE CASTS WITH PLASTER OF PARIS	100
G167	PREPARE POSITIVE MOLDS FOR PLASTIC ORHTOSES	100
F124	PREPARE POSITIVE MOLDS FOR PLASTIC ORHTOSES	100
F128	REPAIR OR REFURBISH ORTHOSES	100
G178	FIT PATIENTS WITH TENNIS ELBOW STRAPS	100
F114	MEASURE PATIENTS FOR CUSTOM-MADE ORHTOSES	100
F127	REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS	100
F125	REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS	100
F118	MODIFY PLASTER OF PARIS MOLDS	100
H211	FIT PATIENTS WITH ANKLE ORTHOSES	100
F126	REMOVE PLASTER CASTS FROM PATIENTS	100
F103	FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH	100
	PLASTER BANDAGES	
F107	HEAT PLASTICS USING HEAT GUNS	100
F100	CLOSE AND SEAL NEGATIVE CASTS	100
F101	COVER POSITIVE MOLDS WITH NYLON HOSE OR STOCKINETTE	100
H218	FIT PATIENTS WITH KNEE SUPPORTS WITH METAL HINGES	100
F122	PREPARE AND POSITION PATIENTS TO BE CASTED	100

### TABLE A2

# MID-LEVEL ORTHOTIC JOB

THE FOLLOWING ARE IN DESCENDING ORDER BY PERCENT MEMBERS PERFORMING:

TASK	S	PERCENT MEMBERS PERFORMING
F137	VACUUM FORM PLASTICS TO POSITIVE MOLDS	100
H225	FIT PATIENTS WITH PLASTIC KAFOs	100
F136	TRIM ORTHOSES	100
F125	REMOVE NEGATIVE CASTS FROM PLASTER OF PARIS MOLDS	100
J286	FABRICATE EXTRINSIC OR INTRINSIC POSTED FOOT ORTHOTIC	
J290		100
H223	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC FIT PATIENTS WITH PLASTIC AFOs	100
H204	FABRICATE PLASTIC AFOS	100
F103	FABRICATE NEGATIVE MOLDS BY CASTING PATIENTS WITH	100
1 105	PLASTER BANDAGES	100
F115	MEASURE PATIENTS FOR PREFABRICATED ORTHOSES	100
J285	FABRICATE ACCOMMODATIVE FOOT INSOLES	100
J284	CUT INSOLES	100 100
J291	FIT PATIENTS WITH ACCOMMODATIVE FOOT INSOLES	100
H206	FABRICATE PLASTIC KAFOs	100
F106	HEAT PLASTICS IN OVENS OR WATER	100
F118	MODIFY TRACING TO DIMENSIONS	100
F114	MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES	100
J282	BUILD-UP FOOTWEAR	100
F129	REQUISITION CUSTOM-MADE ORTHOSES	100
F119	MODIFY TRACING TO DIMENSIONS	100
F127	REMOVE PLASTIC ORTHOSES FROM POSITIVE MOLDS	100
F110	INTERPRET PRESCRIPTIONS	100
F116	MIX POWDERED PLASTER OF PARIS	100
J296	MODIFY MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
F124	PREPARE POSITIVE MOLDS FOR PLASTIC ORTHOSES	100
F98	ATTACH FASTENERS TO PLASTIC ORTHOSES	100
F102	CUT MATERIALS TO PROPER DIMENSIONS, SUCH AS	
	PLASTIC, CLOTH, STRAP, OR METAL	100
F126	REMOVE PLASTER CASTS FROM PATIENTS	100
J281	ATTACH SOLES TO FOOTWEAR, SUCH AS CREPE, CORK, OR LEATHER	100
H218	FIT PATIENTS WITH KNEE SUPPORTS WITH METAL HINGES	100
H219	FIT PATIENTS WITH KNEE SUPPORTS WITHOUT HINGES	100

### TABLE A3

# ORTHOTIC MANAGEMENT JOB

# THE FOLLOWING ARE IN DESCENDING ORDER BY PERCENT MEMBERS PERFORMING:

TE A CITY		PERCENT MEMBERS
TASK	S	PERFORMING
1200	FIT MOUDED LEATHER OR BY ACTUA DOOR OF THE	
J290 F122	FIT MOLDED LEATHER OR PLASTIC FOOT ORTHOTIC	100
	PREPARE AND POSITION PATIENTS TO BE CASTED	100
F113 J284	MAINTAIN ORTHOTIC LAB FACILITIES	100
	CUT INSOLES	100
	FIT PATIENTS WITH HAND OR WRIST SPLINTS	100
G178	FIT PATIENTS WITH TENNIS ELBOW STRAPS	100
F110	INTERPRET PRESCRIPTIONS	100
J292	FIT PATIENTS WITH HEEL CUPS	100
	VACUUM FORM PLASTICS TO POSITIVE MOLDS	100
H204	FABRICATE PLASTIC AFOS	100
J285	FABRICATE ACCOMMODATIVE FOOD INSOLES	100
J282	BUILD-UP FOOTWEAR	100
F132	SELECT MATERIALS FOR CONSTRUCTION OF ORTHOTIC	
F-7.5	DEVICES  PHENTORY FOLLOWING OF SUPPLYING	100
E75	INVENTORY EQUIPMENT OR SUPPLIES	100
F115	MEASURE PATIENTS FOR PREFABRICATED ORTHOSES	100
F99	CLEAN PLASTICS	100
F97	APPLY SEPARATING AGENTS TO NEGATIVE CASTS	100
F114	MEASURE PATIENTS FOR CUSTOM-MADE ORTHOSES	100
F106	HEAT PLASTICS IN OVENS OR WATER	100
F133	SET OVEN TEMPERATURES	100
J279	ATTACH METATARSAL BARS OR PADS TO FOOTWEAR	100
F129	REQUISITION CUSTOM-MADE ORTHOSES	100
F134	SHAPE METAL PARTS TO POSITIVE MOLDS	100
E90	MAKE ENTRIES ON DD FORMS 150 (SPECIAL MEASUREMENTS	
	BLANK FOR SPECIAL MEASUREMENT/ORTHOPEDIC BOOTS	
	AND SHOES)	100
I247	FIT PATIENTS WITH BODY JACKETS	100
C34	ANALYZE WORKLOAD REQUIREMENTS	100
J295	MEASURE PATIENTS FOR CUSTOM FOOTWEAR	100
I275	MODIFY SPINAL X-RAYS FOR BOSTON BUCKETS	100
<b>I</b> 270	MODIFY BOSTON BUCKETS	100
H220	FIT PATIENTS WITH METAL AFOs	100
A2	DETERMINE OR SCHEDULE WORK PRIORITIES	100
Al4	PLAN WORK ASSIGNMENTS	100